



wipro

LINEA
PURE-SUBLIME CONTEMPORARY

Wipro Lighting

LINEA

PURE-SUBLIME CONTEMPORARY

wipro



Clean & minimalistic design

Optimal design of 43mm width provides clean & contemporary look



Soothing experience

HET diffuser provides soft, soothing and low glare experience



Optimum light output


Efficacy of >100 Lm/W provides required light levels




Rapid installation

Coupled with sliding suspension & diffuser. Isolated driver ensures fast installation with effective energy consumption


Quick and rapid installation



Driver tray can be taken out at one face of extrusion



Sliding suspension pin can be placed at suitable point



Sliding diffuser arrangement



Specifications

- Extruded aluminum housing, powder coated in White or Black matt finish with engineering plastic end cap.
 - High efficacy LEDs with option of CCT with uniform and optimum light output.
 - High Efficiency Translucence (HET) flush diffuser for soft and soothing experience.
 - Compatible with IS 10322 part 5/Sec 1 2012, general purpose lighting
-

Installation

- 1.0Mtr. suspension is part of product/packed along with product and it's suitable for installation on RCC ceiling (2 Nos. for 1200 mm and 3 Nos. for 2400 mm product)
- Clamp for 24 mm modular grid armstrong prelude ceiling to be ordered separately –Code No. LMX2243
- Clamp for 15mm modular grid armstrong silhouette grid to be ordered separately –Code No. LMX225




Electrical Data


IP20

Catalogue Reference No.	Wattage (W)	Length (mm)	Housing Color	Case Lot (Nos.)
LM22-251-XXX-40-WX	20	1200	White	10
LM22-251-XXX-57-WX	20	1200	White	10
LM22-251-XXX-40-BX	20	1200	Black	10
LM22-251-XXX-57-BX	20	1200	Black	10
LM22-501-XXX-40-WX	40	2400	White	6
LM22-501-XXX-57-WX	40	2400	White	6
LM22-501-XXX-40-BX	40	2400	Black	6
LM22-501-XXX-57-BX	40	2400	Black	6

Dimension Drawing




- 1200 mm length with 2 Suspension



- 2400 mm length with 3 Suspension

All Dimensions are in mm, Tolerance +/- 2



IoL[®]
Internet of Lighting
A Wipro Brand



Business Office

Wipro Lighting, 5th floor, Godrej Eternia - C,
Old Pune-Mumbai highway, Shivajinagar,
Pune 411 005, India.
(T) 020-66098700, (F) 020-66098777
helpdesk.lighting@wipro.com

Registered Office

Wipro Enterprises (P) Limited
'C' Block, CCLG Division, Doddakannelli,
Sarjapur Road, Bangalore - 560035, India.

www.wiprolighting.com

Toll-free no: 1800-425-1969

Follow us on 

New Delhi: 011-41708121/29,
Kolkata: 033-44045886/87,
Jaipur: 1800-425-1969,
Indore (MP): 9827999668,
Nagpur: 0712-2569878,

Mumbai: 022-62182000,
Pune: 020-25535081,
Lucknow: 0522-2434352,
Raipur (CG): 0771-3265725,
Vishakhapatnam: 9676908080,

Chennai: 1800-425-1969,
Hyderabad: 040-27176082,
Baroda: 0265-2395830/35/36/41/45,
Bhubaneswar: 1800-425-1969,
Cochin: 1800-425-1969.

Bangalore: 080-41503260,
Chandigarh: 0172-50018734,
Ahmedabad: 079-40073546,
Coimbatore: 1800-425-1969,

Innovation and Improvement are a way of life at Wipro. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Reproduction of this data in part or in whole without permission is prohibited. All rights reserved.