

OpusLED

Circular recess mounted LED luminaire



light inspired by space

Wipro Lighting






As we advance into the future, our ways of working have broken down the walls, creating more open and flexible spaces.

With an innovative design inspired by circular form, Wipro Lighting brings to you '**OpusLED**' - a lighting solution for contemporary workspaces.

space inspired by light

OpusLED not only illuminates, but also creates a work environment that is visually pleasing, distinctive and inspirational; leading to better productivity. Its innovative design with direct & indirect lighting and compatibility with lighting controls offers effective energy savings .






design excellence through unique profile


OpusLED is progressive and modern in design with a unique spherical drop down diffuser and surrounding light chamber. It subtly introduces a circular geometry and blends into the ceiling, making the environment cheerful and vibrant.

versatility



Unique design profile allows direct & indirect lighting with individual controls.

enhanced performance



Excellent engineering with proper thermal management ensures long service life and superior performance.

uniform lighting



High Efficiency Translucent (HET) PMMA diffuser leads to uniform distribution of light enhancing visual comfort.


versatility with multiple lighting modes



OpusLED is a versatile LED luminaire with direct/indirect lighting modes. It enables personalised control as per the task, surroundings and lighting requirements.

It saves upto 60% energy with high efficiency LEDs, delivering optimum light output that ensures less power consumption and lower LPD (Light Power density) and proves to be an ideal solution for green buildings.






direct lighting
functional lighting

For functional tasks in
office environment



indirect lighting
ambient lighting

For thinking, discussing,
brainstorming and creating
a relaxed environment



direct-indirect lighting
functional + ambient lighting

Enables tasks which
require concentration




personalising workspaces

Indirect lighting mode

When sufficient daylight is available, to create a relaxed work environment and save upto 60% energy.





Direct lighting mode
When there is a requirement of functional lighting for higher attention tasks.

Direct-indirect lighting mode
When there is no exposure to daylight to provide appropriate level of light distribution required for comfortable fatigue free working.

OpusLED

Circular recess mounted LED luminaire

Specifications

Recess mounted direct-indirect, LED luminaire with uniform light distribution

White color powder coated deep drawn housing

Unique floating spherical High Efficiency Translucent (HET) PMMA diffuser for direct light

Introduces a circular geometry into the ceiling plane for visual interest

Surrounding circular light chamber, containing PMMA diffuser for indirect light

High efficiency LEDs

Constant Current Constant Voltage external driver with efficiency of minimum 85 %


Installation

Designed for installation with four nos. of steel hook-up wire

Suitable for Grid / Armstrong modular ceilings

For Gypsum / POP applications additional frame (Part No: 9180P01089) needs to be ordered separately

Dimension drawings



All dimensions are in mm. tolerance ± 2 mm



Applications



OFFICES



CONFERENCE ROOMS



BANKS



LECTURE HALLS

Electrical data

IP20

Cat. No.	Power (W) $\pm 5\%$	Rated Voltage (V)	Mains Current (Amp)	Approx. Weight (Kg)	Case Lot (Nos)
LM38-461-XXX-57-XX	34W	240	0.15	3.8	2
LM38-461-XXX-40-XX	34W	240	0.15	3.8	2

LED is an ever improving and evolving technology. Wipro is committed to bring you the best in LED technology. Data given is representative and can change.

future ready and smart

Compatible with smart lighting solutions, OpusLED is highly recommended to be used with lighting controls such as daylight and occupancy sensors for higher energy efficacy. Lights can be dimmed, switched off or adjusted as per user preferred lighting requirement.

OpusLED's Power on Ethernet (PoE) version can also be offered for smart & connected lighting solution for enhanced user experience, productivity, safety and comfort.



WIPRO LIGHTING LEDEGE

Get the Edge with LED Lighting Solutions for Modern Workspaces through:

- Eco-sustainability, Design & innovation, Green technology and Efficient lighting solutions
- Capability to service multi-locational accounts
- Service Commitment - 19 branches and over 400 dedicated stockists
- Ease of contact through website
- Trustworthiness and reliability of Wipro



Scan the QR code to download the app

RELATED PRODUCTS



VergeLED



ImmaculateLED Trimless



ImmaculateLED Drop Down

New Delhi: 011-4170 8121/29, **Mumbai:** 022-6218 2000, **Chennai:** 95660 86333, **Bangalore:** 080-4150 3260,
Kolkata: 033-4404 5886/87, **Pune:** 020-2553 5081, **Hyderabad:** 040-2717 6082, **Chandigarh:** 0172-501 8734,
Jaipur: 0141-2280 014/4910 879, **Lucknow:** 0522-2434 352, **Baroda:** 0265-2395 830/35/36/41/45,
Ahmedabad: 079-4007 3546, **Indore (MP):** 98279 99668, **Raipur (CG):** 0771-3265 725, **Bhubaneshwar:** 0674-6450 804,
Coimbatore: 98947 95836, **Nagpur:** 0712-2569 878, **Vishakhapatnam:** 96769 08080, **Cochin:** 98957 08464.

Business Office

Wipro Lighting, 5th floor, Godrej Eterna - C, old Pune-Mumbai highway, Shivajinagar, Pune 411 005. India.
(T) 020-66098700, (F) 020-66098777
helpdesk.lighting@wipro.com

Registered Office

Wipro Enterprises (P) Limited
'C' Block, CCLG Division, Doddakannelli, Sarjapur Road, Bangalore - 560035, India.

Innovation and Improvement are a way of life at Wipro. All rights reserved. Reproduction of this data in part or in whole without permission is prohibited. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Imitation of Registered Designs is a punishable offence.



www.wiprolighting.com

Toll-free no: 1800-425-1969

Follow us on [in](#) [t](#) [f](#) [i](#)

