




Aslimline-X

Linear suspended up down edgelitLED



Introducing



ASLIMLINE-X



Aslimline-X

**Linear suspended
up down edgelitLED**





Aslimline-X

Genesis

Adding a wider luminaire with edge-lit technology

- Enhanced Aesthetics
- Better Uniformity and Glare control
- Reduction in luminaire number for Aisles



Asimeline-X

Specifications

- White matt powder coated extruded aluminum housing
- No visible hardware on external surface
- Edge lit optics derived from Reflector+ Light guide plate+ Diffuser configuration
- Low glare luminaire with special diffuser UGR<19
- Option of Analog / DALI dimming



Aesthetics

- Slimmest profile - Minimalistic unobtrusive design blends well with office architecture
- Seamless connectivity
- Wide construction for better light uniformity

Aslimline-X


**Linear suspended
up down edgelitLED**






Asimline-X

**Linear suspended
up down edgelitLED**



Aesthetics

- Slimmest profile - Minimalistic unobtrusive design blends well with office architecture
- Seamless connectivity
- Wide construction for better light uniformity




Extruded Aluminium construction

Premium finish and durability,
Choice of three colors white, black and anodised silver




Asimline-X

**Linear suspended
up down edgelitLED**



Aesthetics

- Slimmest profile - Minimalistic unobtrusive design blends well with office architecture
- Seamless connectivity
- Wide construction for better light uniformity



Extruded Aluminium construction

Premium finish and durability,
Choice of three colors white, black and anodised silver




Serrated PMMA Diffuser

Product compliant to UGR less than 16




Aslimline-X

**Linear suspended
up down edgelitLED**



Aesthetics

- Slimmest profile - Minimalistic unobtrusive design blends well with office architecture
- Seamless connectivity
- Wide construction for better light uniformity



Extruded Aluminium construction

Premium finish and durability,
Choice of three colors white, black and anodised silver



Serrated PMMA Diffuser

Product compliant to UGR less than 16




Inbuilt sensor

PIR and Daylight sensor inbuilt




Asimline-X

**Linear suspended
up down edgelitLED**



Aesthetics

- Slimmest profile - Minimalistic unobtrusive design blends well with office architecture
- Seamless connectivity
- Wide construction for better light uniformity



Extruded Aluminium construction

Premium finish and durability,
Choice of three colors white, black and anodised silver



Serrated PMMA Diffuser

Product compliant to UGR less than 16



Inbuilt sensor

PIR and Daylight sensor inbuilt



Easy installation

Easy and hassle free




Asimeline-X
**Linear suspended
up down edgelitLED**



32W

LM77-521-XXX-57-V1



LM77-521-XXX-57-V1 | 32W - Updown

LM77-521-XXX57UGV1 | 32W - UpdownUGR



Asimline-X

Pitch

- **Slimmest Profile - 15mm and width - 180mm**
- **Better uniformity in edge-lit solution**
 - **Better uniformity and glare control**
 - **Reduction in number of luminaires**



Linear Profiles Positioning

PREMIUM

**Stylus
Aslimline-X**

MID-PREMIUM

**Axeon
Pie**

VALUE

Lineos



Thank you