

30+ YEARS OF WIPRO LIGHTING



wipro advantage



www.wiprolighting.com | Toll free no: 1800 425 1969 | helpdesk.lighting@wipro.com

Registered Office: Wipro Enterprises (P) Ltd. 'Wipro House', No. 8, 7th Main, 80 Feet Road, Koramangala, 1st Block, Bangalore 560034

Business Office: Wipro Lighting, 5th Floor, Godrej Eternia-C, Old Pune-Mumbai Highway, Shivajinagar, Pune 411005 (T) 020 66098700, (F) 020 66098777



Branches: Ahmedabad | Bangalore | Bhubaneswar | Chandigarh | Chennai | Cochin | Coimbatore | Hyderabad | Indore | Jaipur | Kolkata Lucknow Mumbai | Nagpur | New Delhi | Pune | Raipur | Vishakhapatnam


Innovation and improvement are a way of life at Wipro. All rights reserved. Reproduction of this data in parts or in whole, without permission, is prohibited. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Limitation of Registered Designs is a punishable offence.

Follow us on


Fokus+

downlights

Tailored to perfection



A lighting range inspired by **art**,
Enhancing human experiences
with **science**,
Transforming workspaces
with the latest **technology**.



Fokus+



A unique product in its category, Fokus+ is a proud winner of the prestigious CII Design Excellence Award for its outstanding design.

The silent curator

Introducing a diverse and adaptable downlighter range, crafted to cater to many needs across various environments.

With its modular design offering a wide selection of sizes, wattages, trims, and optics, Fokus+ provides lighting for any setting effortlessly.

Its flexibility allows seamless integration into different spaces, ensuring an ideal fit for every application.



Modern workspaces



Lobbies



Corridors



Lounges



Fokus+ round recessed



Fokus+ round trimless



Fokus+ wall washer




Fokus+ collimator ring




Fokus+ diffuser ring



Fokus+ square recessed



Fokus+ surface



Fokus+ square trimless



Fokus+ round with collimator ring



Fokus+ round with diffuser ring



Downlights crafted to fit

The luminaire features a distinctive internal design that eliminates visual glare entirely with beam angles ranging from narrow to volumetric.

Collimator ring provides low glare lighting with UGR<19

Deep inset bezel with vibrant colour options

No visible hardware gives a clean and minimalist look

Efficient thermal management due to white powder coated, pressure die-cast aluminium housing

Lower maintenance and operating costs assures lowest total cost of ownership



The thin edge ensuring flawless installation



A light for every look

Direct and indirect lighting for inviting environment

Lighting is the catalyst for transforming spaces. With direct beams for tasks and soft glows for ambiance, every room can be illuminated to perfection. From cozy break rooms to bustling workspaces, it set the scene for a memorable experience.





Fokus+ round recessed

Size: 62 Ø | Wattages: 6W, 9W, 12W | Beam angles: 20°, 40°, 60°

Size: 83 Ø | Wattages: 15W, 18W | Beam angles: 25°, 38°, 60°

Size: 103 Ø | Wattages: 24W, 30W | Beam angles: 24°, 38°, 60°

Various trim colour options:




Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD07-600-040-57-CH	06	240	0.03	-	-
LD07-111-040-57-CH	09	240	0.004	20	0.2
LD07-131-040-57-CH	12	240	0.05	20	0.2
LD07-161-040-57-CH	15	240	0.06	16	0.4
LD07-211-040-57-CH	18	240	0.08	16	0.4
LD07-311-040-57-CH	24	240	0.10	12	0.6
LD07-381-040-57-CH	30	240	0.13	12	0.6

*Also available in 4000K CCT. Replace 57 with 40

*CH - Chrome finish trim. Replace CH with WH for white colour finish trim. For colour trims options replace WH with RG for Rose gold, CU for Copper, BL for Black and GL for gold

*Available in 45Ø and 60Ø beam angle

*Replace 040-57-CH with 040DA57CH for DALI driver option. Follow the same for all the codes



Fokus+ diffuser ring


Size: 62 Ø | Wattages: 6W, 9W, 12W

Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD07-181-XXX-57-XX	18	120	0.08	10	0.84

*Also available in 4000K CCT. Replace 57 with 40

*CH - Chrome finish trim. Replace CH with WH for white colour finish trim

*Replace XXX-57-XX with XXXDA57XX for DALI driver option. Follow the same for all the codes



Fokus+ collimator ring


Size: 185 Ø | Wattages: 15W | Beam angles: 24°, 38°, 50°

Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD07-221-038-57-BL	15	240	0.06	10	0.85

*Also available in 4000K CCT. Replace 57 with 40

*Available in 50Ø beam angle. Replace 38 with 50

*Replace 038-57-BL with 038DA57BL for DALI driver option. Follow the same for all the codes





Fokus+ round with diffuser ring

Size: **185 Ø** | Wattages: **15W, 18W**


Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD07-321-026-57-CH	24	240	0.10	6	1.32

*Also available in 4000K CCT. Replace 57 with 40

*CH - Chrome finish trim. Replace CH with WH for white colour finish trim

*026 stands for 26° beam angle

*Replace 026-57-CH with 026DA57CH for DALI driver option. Follow the same for all the codes



Fokus+ round with collimator ring

Size: **185 Ø** | Wattages: **24W** | Beam angles: **24°, 38°, 50°**


Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD07-331-038-57CHB	24	240	0.10	6	1.32

*Also available in 4000K CCT. Replace 57 with 40

*CH - Chrome finish trim. Replace CH with WH for white colour finish trim

*038 stands for 38° beam angle

*Replace 331-038-57CHB with 331038DA57CHB for DALI driver option. Follow the same for all the codes




Fokus+ with wall washer optics

Size: **83 Ø** | Wattages: **15W, 18W** | Cutout: **78 Ø**

Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD07-161-WW-57-CH	15	240	0.06	16	0.48
LD07-211-WW-57-CH	18	240	0.08	16	0.48

*Also available in 4000K CCT. Replace 57 with 40

*Replace WW-57-CH with WWDA57CH for DALI driver option. Follow the same for all the codes



Fokus+ round trimless


Size: **83 Ø** | Wattages: **15W, 18W** | Beam angles: **25°, 38°, 60°**


Size: **103 Ø** | Wattages: **24W, 30W** | Beam angles: **24°, 38°, 60°**

Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD07-161-38-40TLCH	15	240	0.06	16	0.06
LD07-211-38-40TLCH	18	240	0.08	16	0.06
LD07-311-45-40TLCH	24	240	0.1	12	0.86
LD07-381-45-40TLCH	30	240	0.1	12	0.86

*Also available in 4000K CCT. Replace 57 with 40

*CH - Chrome finish trim. Replace CH with WH for white colour finish trim





Squaring every space

The square downlight range of Fokus+ brings in an expression of balance and beautiful symmetry to any space. With its evenly spread, low glare light, square downlights bring the interior alive like never before.




Fokus+ square trimless

Size: 91 X 140 X 56 | Wattages: 12W, 15W, 18W, 20W | Cutout: 88 X 88

Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD34-151-XXX-57-TL	12	240	0.05	16	0.75
LD34-171-XXX-57-TL	15	240	0.06	16	0.75
LD34-221-XXX-57-TL	18	240	0.07	16	0.75
LD34-251-XXX-57-TL	20	240	0.08	16	0.75

*Also available in 4000K CCT. Replace 57 with 40

*TL – Trimless




Fokus+ surface

Size: 87 X 87 X 87 | Wattages: 12W, 15W, 18W, 20W

Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD34-151-XXX-57-SM	12	240	0.05	12	1.05
LD34-171-XXX-57-SM	15	240	0.06	12	1.05
LD34-221-XXX-57-SM	18	240	0.07	12	1.05
LD34-251-XXX-57-SM	20	240	0.08	12	1.05

*Also available in 4000K CCT. Replace 57 with 40

*SM – Surface mount




Fokus+ square recessed

Size: 92 X 92 X 56 | Wattages: 12W, 15W, 18W, 20W | Cutout: 85 X 85

Product Code	Power (W) +/-2W	Rated Voltage (V)	Main Current (A)	Case lot (Nos.)	Approx weight (kg)
LD34-151-XXX-57-XX	12	240	0.05	16	0.65
LD34-171-XXX-57-XX	15	240	0.06	16	0.65
LD34-221-XXX-57-XX	18	240	0.07	16	0.65
LD34-251-XXX-57-XX	20	240	0.08	16	0.65

*Also available in 4000K CCT. Replace 57 with 40



Explore the broad range of **Wipro Seating Solutions**

Task Seating



Adapt



Aerosit



Alivio

Collaborative Seating



Single-Seater



Round Pouffe



Three-Seater



Low Table

Cafe Seating



Transit



Munch



Symphony



Ballet

Auditorium

Tandem Seating



Flexico-Moderno



Flexico-Comforto

Discover the wide range of **Wipro Lighting Solutions**

Industrial Lighting



Xpressbay Pro

MWS Lighting



Nu Moon



Skymesh



Fokus+



Inspiro



Inform



Aqua



Biophilia



Skyscale



Mute

Outdoor Lighting



Arcus Prime



Dot



Crest Bollard

Please follow the link: www.wiprolighting.com

