

30+ YEARS OF WIPRO LIGHTING



wipro advantage



degis

crafting experience



www.wiprolighting.com | Toll free no: 1800 425 1969 | helpdesk.lighting@wipro.com

Registered Office: Wipro Enterprises (P) Ltd.
'Wipro House', No. 8, 7th Main, 80 Feet Road,
Koramangala, 1st Block, Bangalore 560034

Business Office: Wipro Lighting,
5th Floor, Godrej Eternia-C, Old Pune-Mumbai
Highway, Shivajinagar, Pune 411005
(T) 020 66098700, (F) 020 66098777



Branches: Ahmedabad | Bangalore | Bhubaneshwar | Chandigarh | Chennai | Cochin | Coimbatore | Hyderabad | Indore | Jaipur | Kolkata
Lucknow | Mumbai | Nagpur | New Delhi | Pune | Raipur | Vishakhapatnam

Innovation and improvement are a way of life at Wipro. All rights reserved. Reproduction of this data in parts or in whole, without permission, is prohibited. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Imitation of Registered Designs is a punishable offence. Follow us on



A place where conversations begin

With Aegis,
walks feel refreshing,
thoughts become conversations,
and outdoors come alive...



Creates a vibrant atmosphere for joyful conversations and lively gatherings



Ensures well-illuminated, secure surroundings, both within and around campuses



Provides a gentle, calming illumination, perfect for the post-dinner strolls




Castes a soothing glow, enhancing the surroundings, making a comfortable environment



The essence of lighting up landscapes


with a glare-free, indirect light

Every detail crafted in Aegis brings elegance to the spaces it illuminates. Its symmetric and asymmetric light distribution provides both, visual comfort and performance.



Symmetric (LP11XXX)

Prioritizing a harmonious and calming atmosphere



Asymmetric (LP11ASM)

Casts a wider unidirectional light

Product Code	Power (W) +/- 10%	Rated Voltage (VAC)	Mains Current* (Amp)	Approx. Weight	Case Lot (Nos.)
LP11-501-XXX-57-XX	45	240	0.2	7.0	1

*Rated current will have tolerance as per IS 16104: 2012
 • Suitable for external pole dia. 65mm to 75mm (Pole to be ordered separately)

Product Code	Power (W) +/- 10%	Rated Voltage (VAC)	Mains Current* (Amp)	Approx. Weight	Case Lot (Nos.)
LP11-501-ASM-57-XX	45	240	0.2	7.0	1

*Rated current will have tolerance as per IS 16104: 2012
 • Suitable for external pole dia. 65mm to 75mm (Pole to be ordered separately)

Every detail that makes experiences unforgettable

Enhancing ordinary spaces,
Transforming landscapes into lively hubs,
Weaving infinite memories...

Application areas



Campuses



Parks and gardens



Resorts



Parking lots



Residential areas



IP65

Sparkling white reflectors

With precise optical control through reflectors, Aegis comes in both, symmetric and asymmetric light distribution options

Vandal resistant

This ensures the durability in public spaces, safeguarding it against tampering, damage, and ensuring its longevity in all environments

Superior aesthetics

Lightweight luminaire with powder-coated aluminium housing enhancing the visual appeal

Screen protection

Toughened glass in the luminaire guarantees scratch-free durability, ensuring uninterrupted, pristine illumination

Hassle-free assembly

Effortless installation and cost-effective maintenance with pigtail cable for simplified wiring



Explore the broad range of Wipro Seating Solutions

Task Seating



Adapt

Aerosit

Absolute

Immerse

Collaborative Seating



Single-Seater

Round Pouffe

Three-Seater

Low Table

Cafe Seating



Transit

Munch

Auditorium



Symphony

Ballet

Tandem Seating



Flexico-Moderno

Flexico-Comforto

Discover the wide range of Wipro Lighting Solutions

Industrial Lighting



Xpressbay Pro

MWS Lighting



NuMoon



Skymesh



Fokus+



Inspiro



Inform



Aqua



Biophilia



Skyscale



Mute

Outdoor Lighting



Arcus Prime



Dot



Crest Bollard

Please follow the link: www.wiprolighting.com

